



Set LP-CON-RJ12


Data sheet

Doc. no. 2.353.095.1.a 06/2024

Janitza electronics GmbH
Vor dem Polstück 6
35633 Lahnau | Germany
Support +49 6441 9642-22
info@janitza.com | www.janitza.com

Janitza[®]

CABLE CONSTRUCTION



| Cable dimension | Specification in mm | Specification in inches (in) |
|-----------------|---------------------|------------------------------|
| A | 16.6 | 0.653 |
| B | 22.6 | 0.890 |
| C | 32.0 | 1.260 |
| D | 100.0 ±10.0 | 3.937 ± 0.394 |
| E | 25.0 | 0.984 |
| F | 6.5 | 0.256 |
| G | 31.0 | 1.220 |

| Wire color | Pin assignment RJ12 | Pin assignment 8-pin plug connector |
|------------|---------------------|-------------------------------------|
| orange | 1 | 5 |
| black | 2 | 6 |
| red | 3 | 3 |
| green | 4 | 4 |
| yellow | 5 | 1 |
| brown | 6 | 2 |



OVERVIEW & ARTICLE NUMBER

| General | |
|---------------------|---|
| Cable type | PVC 26 AWG |
| Temperature range | -10 °C to +60 °C (14 °F to 140 °F) |
| Secondary side plug | 8-pin plug connector for UMG 96-PQ-L-LP and module 800-CT8-LP |
| Plug primary side | RJ12 e.g. for connecting a fuse switch strip with integrated low-power current transformers |

| Designation | Item number | Cable length mm (in) |
|-----------------|-------------|-----------------------------|
| Set LP-CON-RJ12 | 1503194 | 100.0 ±10.0 (3.937 ± 0.394) |

Janitza[®]

Janitza electronics GmbH
Vor dem Polstück 6 | 35633 Lahnau
Germany

Tel. +49 6441 9642-0
info@janitza.com | www.janitza.com